



GRAND MULIA JAYA

Present Your Needed

COMPANY PROFILE

"It's a path we are ready to walk with you."

grandmuliajaya :     : +62 81255344294



A Journey of **Trust and Excellence**

Founded in December 2016 in **Balikpapan**,
CV. Grand Mulia Jaya began its journey in the **supply** business
by delivering trusted **solutions** and building long-term **partnerships**.

The year 2020 **became** a turning point.
We were **trusted** to be the distributor of **world-class** brands
such as BDS Maschinen, DeWalt, and Pferd, followed by Superon.

That trust kept **growing**.
In 2021, Dynabrade joined us. Then in 2023, Kennametal strengthened
our role as distributor in Kalimantan.

And in 2025, we transformed into PT Grand Mulia Jaya.
This is our new era. We are no longer just a company,
but a partner committed to synergy, reliability, and growing together with you.

For us, it's not just about products.
It's about trust, innovation, and success we build together.



The Path **We Walk Together**

Vision

Become a great support company
by presenting continuous development

Mission

1. Perform the best product and services
2. Built cooperation with all customers
3. Developing employees
4. Provide solution & continuous development

Experienced in Providing Needs For Projects



520+

**SATISFIED
CUSTOMERS**

236+

**SUPPORT
VARIOUS
PROJECTS**



06+

**YEARS OF
EXPERIENCE**

1200+

**HIGH
QUALITY
PRODUCT**

Complete Your Needs With Us



We only sell
100%
original products.



We provide trials
for our prospective
customers to use
tools/machines.




Providing
a complete range of
industrial equipment
needs for home and
corporate scale.



Providing the tools
needed to support
complete and quality
construction work.



We use the latest
system services
that make it very easy
for customers and
visitor to our website.



Can be custom
for requests for
parts tools that
we can condition.

"We deliver more than products, we create solutions.

From innovative software to cutting-edge technology, our services are designed to empower your growth.
With tailored development and trusted consulting, we ensure every need is met with excellence."

Trusted Products for Your Needs

We provide trusted products from leading global brands.
Every solution is designed to support your growth with confidence and reliability.

 MAUCO TOOLS

TRANSLAS  BDS 
DUTCH WELDING TECHNOLOGY MASCHINEN

 KENNAMETAL®

 BLACK+
DECKER

 STANLEY®

 PFERD


 WIDIA 

 VÖLKEL 3M
THREADING SOLUTIONS

 DYNABRADE®  PIPE TOOLS

 SUPERON®  DEWALT
GUARANTEED TOUGH.

BDSMASCHINEN
MADE IN GERMANY

BDS

MASCHINEN

The magnetic drilling machines, annular core cutters and plate beveling machines by BDS Maschinen GmbH are completely manufactured in Germany and trusted by metal working professionals worldwide.

With the introduction of the new generation of magnetic drilling machines, BDS sets a new benchmark in metal core drilling technology.



Profi**PLUS**



Profi**START**



Profi**BASIC**



Profi**SPEZIAL**



german
brand
award
23
winner



Profi**PLUS**



Machine

MAB 125

MAB 825

MAB 825

MAB 1300

MAB 435

MAB 825

MAB 825



Profi**BASIC**



MABasic 300

MABasic 400

MABasic 450

MABasic 830



Profi**START**



MAB 120 K

MAB 435

MAB 435



german
brand
award
23
winner



Profi**SPEZIAL**



PipeMAR 200

PipeMAR 525

MAB 825 KTS

AcroMAR 850

AcroMAR 450

MAB 825 V

METAL CORE DRILLING

MADE IN GERMANY

SKF 25

For quick and easy preparation of weld seams.



Video & Docs



- Chamfer width up to 15 mm
- Seamless angle adjustment from 15° to 60°
- With an ergonomic handle
- Easily guided with guide rollers
- For bevelling normal steel, aluminium and non-ferrous metal

Technical data

	Chamfer Width	15 mm
	Chamfer Angle	15° - 60° Continuous
	Feed	Manual
	Motor Output	1100 Watt
	Voltage	220 - 240 / 110 - 125 Volts
	Speed	2850 min-1
	Weight	22 kg

ACCESSORIES



SHM 600
Carbide insert
(Eight pieces SHM 600
inserts per milling cutter)



ZFR 250
Arbor milling cutter

AutoCUT 500

Fully automatic feed plate bevelling machine.



Video & Docs



- Simple, safe handling
- No restriction of the working length
- No guiding carriage is needed, therefore independent from the floor conditions
- For milling plate thicknesses from 10 mm to 40 mm
- Milling cutter with 6 carbide inserts

Technical data

	Chamfer Width	max. 30 mm
	Chamfer Angle	15° - 60° Continuous
	Feed	Variable automatic feed
	Motor Output	1100 Watt
	Voltage	380V or 220V (3 phase)
	Speed	2750 min-1
	Weight	50 kg

ACCESSORIES



SHM 400
Carbide insert
(Six pieces SHM 400
inserts per milling cutter)



ZFR 500
Arbor milling cutter

EKF guide plate

The guide plate ensures that EKF milling machines are positioned and guided safely.

Reliably prevents the machine from tilting or slipping while being positioned. This is an must have accessory.

A simple yet highly useful solution: The guide plate is connected to a clamp and affixes to the workplace, ensuring that the edge is fed in smoothly.



Article No.: ZFP 100



BDS
MASCHINEN



The Range of BDS Fully Ground Core Drills. Professional Quality for Professional Tasks.



Core drills made from special steel with high content, for increased heat resistance and wear protection.



HSS-Co 3 series

Article No.	KH8-CO	KH8-CO
Cutting depth	30 mm	55 mm
Drilling diameter	12 - 130 mm	12 - 100 mm

Fully ground, core drills made from high-performance high-speed steel, with carbide coating, high degree of protection against wear, excellent discharge of chips.



HSS-VerbaPLUS series

Article No.	KH8-VP	KH8-VP
Cutting depth	30 mm	55 mm
Drilling diameter	12 - 80 mm	12 - 60 mm

Fully ground, core drills made from high-performance high-speed steel.



HSS-Standard series

Article No.	KH8	KH8	KEL	KH8-Z
Cutting depth	30 mm	55 mm	110 mm	30 mm
Drilling diameter	12 - 80 mm	12 - 60 mm	26 - 60 mm	$\frac{1}{2}'' - 2 \frac{1}{2}''$

Carbide-tipped core drills, for machining steels and non-ferrous metals, we recommend our BDS 6000 high-performance cooling lubricant concentrate.



Carbide series

Article No.	H8K	H8L	H8K-L	H8K-L
Cutting depth	30 mm	55 mm	75 mm	110 mm
Drilling diameter	12 - 150 mm	12 - 100 mm	18 - 120 mm	20 - 120 mm

Carbide-tipped core drills with carbide coating.



Carbide-PLUS series

Article No.	H8K-P
Cutting depth	30 mm
Drilling diameter	12 - 80 mm

Carbide-tipped core drills for use on drilling machines.



Carbide-PAUL series

Article No.	KH8-PA
Cutting depth	20 mm
Drilling diameter	12 - 36 mm

Core drills made from HSS tool steel or carbide-tipped. Suitable for Quick-Incider systems.



Quick-Incider series

Article No.	KH8-Q & F	KH8-Q
Cutting depth	35 mm	35 mm
Drilling diameter	12 - 80 mm	12 - 50 mm

Premium Accessories for Drilling & Tapping



BDS 6000
ZHS 009 & ZHS 006
High performance cutting oil for HSS & TCT core drills.



BDS 6000
ZHS 001
Cooling lubricant concentrate for TCT core drills.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 001
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



BDS 6000
ZHS 009
High performance cutting oil for drilling & tapping.



Article No.	QSH	QSE	QSS	QST
Description	For tapping inserts	For through holes only	For blind & through holes	With Weldon shank



Article No.	ZSA	ZSA	ZSA
Description	For Weldon shank tools	For Weldon shank tools	For Weldon shank tools



Article No.	SP4	SP4	SP4
Description	With Weldon shank, No adapter required. Sizes from 6 - 14 mm	With Weldon shank, No adapter required. Sizes from 6 - 14 mm	With Weldon shank, No adapter required. Sizes from 6 - 14 mm



Article No.	ZPO	ZPV
Description	For drilling holes/pipes with magnetic drilling machine	For drilling non-magnetic materials with magnetic drilling machine

The Next Generation of BDS Beveling & Chamfering Machines. Made in Germany.

Quality since
1799

PFERD



German for "horse," "PFERD" leads the industry in the development, production, and distribution of solutions for surface work and material cutting.

PFERD brings 200+ years of experience to today's technology to give our distributor partners and end users nothing but the best.

We operate as an independent, internationally-oriented, family-owned company geared toward the long term.

The products we develop drive efficiency, productivity, safety, and sustainability in the metalworking industry.

We are relentlessly committed to creating value. Value for our customers as we continuously innovate —and value for our employees' long-term development.

**YOU KNOW HOW.
WE KNOW *WOW!***

PFERD



- Files
- Carbide burs and bi-metal hole saws
- Mounted points, cones and plugs, bench grinding wheels
- Fine grinding and polishing products

- Cut-off wheels, flap discs and grinding wheels
- Cut-off wheels for stationary applications
- Power and maintenance brushes
- Power tools

DEWALT®
GUARANTEED TOUGH®

**POWER
SHIFT▶**

DEWALT® is out there on the jobsite learning what works and what doesn't so we can make it all work better. Every innovation we make is driven by a desire to increase performance, ease of use, or productivity.

We change a tool because the change makes the tool work better for the professional using it, not just for the sake of change. From technology used in space exploration and aircraft to incorporating Bluetooth® technology into our products, DEWALT stays at the forefront of jobsite innovation.

CORDLESS POWER TOOLS



BATTERIES & CHARGERS



CORDLESS BARE TOOLS



CORDED POWER TOOLS



DEWALT®

**POWER
SHIFT▶**



DEWALT

POWER SHIFT



20V MAX BRUSHLESS DRILL DRIVER

DC2706

Voltage	20V Max
Max Torque (lb-in/ft-lb)	90/12.5
No Load Speed	0-450 / 1,620 rpm
Chuck Capacity	1/2-19 mm
Drilling Capacity (Steel/Aluminum)	3/32" / 1/8"
Weight (incl. Tool)	1.9 kg
Length x Height	567 x 188 mm



20V MAX BRUSHLESS HANDLED DRILL DRIVER

DC2706

Voltage	20V Max
Max Torque (lb-in/ft-lb)	90/12.5
No Load Speed	0-450 / 1,620 rpm
Chuck Capacity	1/2-19 mm
Drilling Capacity (Steel/Aluminum)	3/32" / 1/8"
Weight (incl. Tool)	1.9 kg
Length x Height	128 x 188 mm



20V MAX BRUSHLESS HANDLED DRILL DRIVER

DC2706

Motor Type	Brushless
Volts/V	20V Max
Max Torque	2
No Load Speed	0-450 / 1,620 rpm
Chuck Capacity	0-1/2 (13/16) / 19 mm
Drilling Capacity (Steel/Aluminum)	3/32" / 1/8"
Weight (incl. Tool)	1.9 kg
Length x Height	128 x 188 mm



20V MAX BRUSHLESS IMPACT WRENCH

DC2706

Motor Type	Brushless
Volts/V	20V Max
Max Torque	0-2000 ft-lb
No Load Speed	0-2000 / 1600 rpm
Chuck Capacity	1/2-19 mm
Weight (incl. Tool)	1.9 kg



20V MAX 1/2" BRUSHLESS HT IMPACT WRENCH

DC2706

Motor Type	Brushless
Volts/V	20V Max
Max Torque	0-2000 ft-lb
No Load Speed	0-2000 / 1600 rpm
Chuck Capacity	1/2-19 mm
Weight (incl. Tool)	1.9 kg



20V MAX 3/4" BRUSHLESS HT IMPACT WRENCH

DC2706

Motor Type	Brushless
Volts/V	20V Max
Max Torque	0-2000 ft-lb
No Load Speed	0-2000 / 1600 rpm
Chuck Capacity	1/2-19 mm
Weight (incl. Tool)	1.9 kg



14V BRUSHLESS IMPACT DRIVER

DC2706

Voltage V	14V
Max Torque	3000 ft-lb
No Load Speed	0-1400 / 1400 / 1400 rpm
Chuck Capacity	1/4-13/16" / 19 mm
Weight (incl. Tool)	1.9 kg



20V MAX BRUSHLESS IMPACT DRIVER

DC2706

Motor Type	Brushless
Volts/V	20V Max
Max Torque	3000 ft-lb
No Load Speed	0-1400 / 1400 / 1400 rpm
Chuck Capacity	1/4-13/16" / 19 mm
Weight (incl. Tool)	1.9 kg



20V MAX BRUSHLESS IMPACT WRENCH

DC2706

Motor Type	Brushless
Volts/V	20V Max
Max Torque	0-2000 / 1600 / 1600 ft-lb
No Load Speed	0-2000 / 1600 / 1600 rpm
Chuck Capacity	1/2-19 mm
Weight (incl. Tool)	1.9 kg





WE LISTEN. WE OBSERVE. WE OPTIMIZE.



Dynabrade has earned a reputation for excellence and a position of leadership in the innovative design and manufacturing of unique portable pneumatic abrasive power tools, related accessories, and dust collection.

With our total systems solutions offerings, we are able to meet the specific needs of many industries. Our products are used in a variety of applications on nearly any material that requires surface preparation and finishing.

We are easy-to-do business with and supply these products quickly to customers through a worldwide network of professional distributors.



We Are Your Source For High-Quality



5" DYNORBITAL® EXTREME



3-1/2" DYNORBITAL® SUPREME



6" DYNORBITAL-SPIRIT®



1.3 HP DISC SANDER



.7 HP PISTOL GRIP DISC SANDER



3" DISC SANDER



Cut-Off Wheel Tools

Air-Powered Cutting Tools, 3" and 4" Diameter

For Efficient Cutting of Sheet Metal, Frame Rails, Clamps, Bolts, etc.

Models come equipped 1" or 4" Diameter Type 41 microhard Cut-Off Wheels with 30° bevel edge.
"Star-Wheel" blades allow accurate cuts with all the inherent performance, abrasion life and robust construction. Adjustable wheel guard provides maximum operator protection. Safety lock timer is included.

NEW!

Compatible Housing Models:

Right Angle, 3" hp, Star Exhaust
Models include dustproof right angle housing.

Model 54730 3" Diameter

Model 54734 4" Diameter

Each model includes side handle for left or right hand use.

Model 54722 3" Diameter, Extended

Model 54736 4" Diameter, Extended

Extended design allows longer reach on work pieces, and low-hand control for added control.

Star Housing Models:

Right Angle, 3" hp, Star Exhaust

Star housings offer increased durability. Includes dustproof star right angle housing.

Model 54740 3" Diameter

Model 54744 4" Diameter

Each model includes side handle for left or right hand use.

Model 54742 3" Diameter, Extended

Model 54746 4" Diameter, Extended

Extended design allows longer reach on work pieces, and low-hand control for added control.

TECH TIP



All models on page include impact tool 12 and 1800 PSI Star 12 Gun. Single mounting brackets per 12.



Model 11475 Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.
Adjustable guard, reversible side handle.
Includes 11501 Control Arm Assembly (see page 25).
Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.



Model 11476 Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.
Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.
Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.



Model 11477 Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.
Includes 11501 Control Arm Assembly (see page 25).
Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.



Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.

Used for use with 11476 Dynabrade® and 18036 Dynabrade® Assembly.

Model 11477

Extra Heavy-Duty, 3.0 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11477 Dynabrade® and 18079 Dynabrade® Assembly.

USA Government National Stock Number 25124542.

Model 11475

Standard Duty, 7 hp

Powerful 7" wide x 32" long abrasive belt.

Adjustable guard, reversible side handle.

Includes 11501 Control Arm Assembly (see page 25).

Used for use with 11475 Dynabrade® and 18079 Dynabrade® Assembly.

Model 11476

Heavy-Duty, 1.5 hp

Powerful 7" wide x 32" long abrasive belt.

Includes 11501 Control Arm Assembly (see page 25), and top-mounted handle.



ELECTRICAL
& ELECTRONICS
COMPONENT CLEANER



HOT TESTING



AUTOMOBILE
INDUSTRY



FABRICATION
INDUSTRY



CASTING
INDUSTRY



COATING
PAINT



Since its founding in 2004, Superon has been a leading manufacturer and exporter in the production of welding materials and stainless steel wire worldwide. The company was founded with the aim of providing high-quality products to global customers at fair prices, and it is this vision that is the main driver of its success.

A part from power tools, this company also provides chemical products that are used before or after the welding process is carried out.

SUPERON®

SUPERIOR TECHNOLOGY | SUPERIOR PERFORMANCE



PROMISE OF BEST QUALITY PRODUCTS

1. SUPER ANTISPATTER (NF)

Weather resistant long lasting anti-spatter coating. Prevents spatter from adhering to weld beads, surrounding & welding tips during welding.

KEY FEATURES

- Heavy duty-effective even on the most severe high amperage weld coating, unlike normal anti-spatter sprays.
- Fully non-flammable formulation with a non-hazardous Co2 propelled for higher user safety as well as higher actual coverage (97% adhesion to 85% max adhesion in hydrocarbon propelled aerosol sprays).

KEY APPLICATIONS AREAS

Resistances welding tips, mig and tig tips, weldment, electrode holders, contact tips, tools, metal molds and bench top safety guards.

KEY SPECIFICATIONS

- Appearance : Milky white emulsion
- Specific gravity : 1.270
- Flammability : Non-flammable
- Plastic safe : Yes
- Film type : Non-drying

PACKING: 400 ML/CAN



Co2 Propellant
97% Adhesion

3. SUPER CLEANER, SUPER PENETRANT & SUPER DEVELOPER



Will locate surface discontinuities and other indications on all non-porous materials (Metals, Plastics, Ceramics, ...). Oxides, Scale, Porosity, Laps, Laminations, and Cold Chills.

Use to detect welding, casting & forging defects, cracks & leaks in new - components and defect cracks on in - service components

KEY FEATURES

- Will detect wide spectrum of flaw sizes regardless of flaw orientation, up to 1 micron to 30 microns (achieved in 10-60 second).
- Superior capability under Non-Toxic, Non-Corrosive, ... Free from halides & no fumes, ...
- Conforms to MIL-1-20120, MIL-STD-271, IS-3656-1981 "Code of practice for liquid penetrant 'SafeDetect'".

KEY APPLICATIONS AREAS

Evaluation of micro surface defects & flaws in weld deposits, wrought & cast products of both Ferrous & Non-Ferrous metals, powder metallurgy parts, ceramics, plastics & glass objects.

SUPER CLEANER:

- Non-chlorinated solvent
- Non-toxic formula

Fast drying

SUPER PENETRANT:

- Reveal ultra-high penetration dye
- Non-toxic formula

Specific gravity < 1

SUPER DEVELOPER:

- High coverage developer
- Non-toxic formula

Specific gravity < 1

PACKING: 400 ML/CAN

4. SUPER 40

Plastic safe, high dielectric strength cleaner, lubricant, moisture displacer; penetrant & non-penetrant inhibitor that loosens dirt, scale, rust, Removes jammed assemblies, cleans grease/grease, provides effective anti-rust and prevents electrical malfunctions caused by water penetration, humidity, condensation or corrosion.

KEY APPLICATIONS AREAS

- a) Mechanical: Threaded assemblies, tools, molds, dies, electrical system protection sensitive components, ...
- b) Electrical: Motor, generators, electromechanical equipment communication systems, re-wiring jammed parts & assemblies.

KEY SPECIFICATIONS

- Type : Mineral Oil
- Appearance : Light brown Clear liquid
- Coating thickness : 10-50 Microns
- Surface spreading : up to 3.0 sq/cm
- Service temperature : -30 to +100°C
- Corrosion resistance : 144 Hr @ 30 Minutes (ASTM D6-60)

PACKING: 400 ML/CAN



Co2 Propellant
97% Adhesion

6. Superon Pickling Gel :

Stainless Steel Pickling Gel is a unique, fast action, non-fuming, pickling gel used to remove rust, scale, weld discoloration, oxide scale and flux from all grades of stainless steels.

The superior resistance of stainless steel depends on the presence of an invisible protective chromium oxide surface. Operations such as welding, grinding or exposure to carbon can damage the passive protective layer.

- User friendly - minimal fuming & skin irritation
- Fast Action : Easy to use. No mixing or measuring. Apply directly to surfaces to remove stubborn impurities. Superon Pickling Gel cleans the toughest slag, weld scale and heat-treat scale color from stainless steel.
- Cleans & restores the original corrosion resistant properties of the material.

PACKING: 1kg/Can



2. SUPER ANTI SPATTER (E)

Heavy duty dry film flux White based welder anti-spatter coating. Designed to prevent spatter from adhering to weld beads, surrounding & welding tips during welding.

KEY FEATURES

- Heavy duty-effective even on the most severe high amperage weld coating, unlike normal anti-spatter sprays.
- Fully non-flammable water based formulation. Superior anti carbon and oxidizability.
- Keeps tips and nozzles clean. Prevents torches back-up.

KEY APPLICATIONS AREAS

Resistances welding tips, mig and tig tips, weldments, electrode holders, contact tips, tools, metal molds and bench top safety guards.

KEY SPECIFICATIONS

- Appearance : Light colored liquid
- Specific gravity : 1.45 - 1.55
- Flammability : Non-flammable
- Plastic safe : Yes
- Coating thickness : 5-8 microns

PACKING: 200 ML/CAN

5. Super Nozzle Dip Gel

Description: Heavy duty proprietary polymer gel type formulation. Designed to protect accumulation of weld spatter from adhering to the welding torch nozzle, both interior and exterior surfaces. Facilitates torchon welding, and reduced downtime by enabling water bulk up and repeated cleaning of welding tip during the welding process.

Areas of Use:

- Resistance welding tips, MIG and TIG torch nozzles.
- Weldments, electrode holders, contact tips, tools, metal molds.
- Backing up torches, torches, torches, torches.
- Heavy duty-effective even on the most severe weld spatter.
- Non-drip formulation. Superior adhesion and durability of the gel ensures nozzle and tip remains clean during welding.
- No adverse effect on type of welding. 110 min. non-toxic, non-fuming formulation.

PACKING: 300gms/CAN



7. Super Ultra Bright Zinc Spray

Super Ultra Bright Zinc Spray is a quick drying, light duty, sacrificial coating that protects ferrous metals from oxidizing. It provides barrier as well as higher degree of cathodic protection to the base metal against environment and prevents formation or spreading of rust and corrosion. Super Ultra Bright Zinc Spray is excellent for touch-up to scratches, dents, welds, roughed edges on aluminum and other high strength metal substrates.



Since its inception in 1938, Kennametal has understood precisely how to improve manufacturing performance and profitability — by introducing unparalleled products and services to reduce operating costs and lead times.

Rely on Kennametal to significantly boost manufacturing competitiveness.

To learn more, contact your Kennametal Representative or Authorized Kennametal Distributor.



20



PERFORMANCE IN ACTION™

STANLEY


STANLEY®

is the longest established and largest hand tool manufacturer in the world. Since 1843, STANLEY® has become a leading name in hand tool industry; we've set the standard for excellence in everything we do.

No company on earth has a stronger or more compelling history of delivering the hardworking, powerful and innovational tools that help professionals, tradesmen and consumers around the world.

Whether you're a retailer looking for the best quality products to offer your customers, or a skilled user looking for the best tools, STANLEY® is here to serve you.

THE HISTORY OF STANLEY® TOOLS





WRENCHES



CLAMPING TOOLS



CUTTING TOOLS



SPECIALTY TOOLS



ELECTRONIC DEVICES & LASERS



MATERIAL HANDLING



HAND TOOL SET



LAYOUT TOOLS



POWER TOOLS & ACCESSORIES CATALOGUE 2025-2026

THE MEASURE OF A PRO™
@STANLEYTOOLSA

STANLEY
12 YEAR
LIMITED
WARRANTY

PERFORMANCE IN ACTION.



FINISHING TOOLS



MEASURING TOOLS



MECHANIC TOOLS



STRIKING TOOLS



STORAGE



FASTENING TOOLS

1915 - 2015
WORLDWIDE
COMPETENCE IN
THREAD-CUTTING
TOOLS

VÖLKE
THREADING SOLUTIONS ■ ■ ■

Based on the experience of 100 years in the production of thread cutting tools VÖLKE has developed into a worldwide leading supplier of standard thread cutting tools, all available from stock.

As a family business we are able to react flexibly and quickly to future challenges. The families Völkel (Remscheid) and Carrington (Birmingham) are committed to the long-term and sustainable implementation and the compliance of these promises.





 **Speedglas™**

Welding Safety

Trust in a brand can't be built overnight.
It takes years to become known and even longer to be trusted.
In 1981, over 40 years ago, Speedglas™ released the first
ever auto-darkening welding helmet and has consistently
set the benchmark ever since.

While other products and brands have come and gone,
the 3M Speedglas brand, guided by welders, has continued
to drive innovation and lead from the front.

Made in Sweden, Speedglas is the brand of choice
for professional welders and remains the world's
leading brand of personal protective equipment for welders.

The 3M Speedglas Welding Helmet G5-03 Pro Air
is built for professional welders. A welding helmet versatile
enough that you don't have to compromise on function,
performance OR safety.



Speedglas™

Welding Safety



3M™ Speedglas™ Welding Helmet G5-02

- World's first curved auto-darkening welding lens
- Largest ever Speedglas viewing area (100% wider field of view)
- Advanced Speedglas TrueView Technology (light state 2.5)
- Slimmer lightweight profile
- Optimised for professional TIG welding



NEW



3M™ Speedglas™ Welding Helmet 9100 QR™

- Professional fixed-front welding helmet with extra large viewing area
- Quick-release mechanisms can convert to a safety helmet
- External grind, memory mode and SideWindows
- Speedglas True-View Technology
- Optimised for professional welders who require head protection



3M™ Speedglas™ Welding Helmet 9100

- Professional fixed-front welding helmet with extra-large viewing area
- External grind, memory mode and SideWindows
- Speedglas True-View Technology
- Optimised for professional welders



3M™ Speedglas™ Welding Helmet 9100

- Fixed-front welding helmet with standard viewing area
- Suitable for welding and grinding
- Slim lightweight profile featuring six graphic designs
- Optimised for welders who require a reliable airbrake



3M™ Speedglas™ Welding Helmet 9100

- Professional fixed-front welding helmet with large viewing area
- Speedglas True-View Technology
- Slim lightweight profile
- Optimised for welders who prefer a narrow helmet profile



Configure your coverage



Helmet covers standard right neck protection and fabric head protection on chosen form



To better ensure you to weld whilst looking down, remove the right neck protection and replace with the small fabric neck protection 16 90 41



Personal coverage of your head, neck and chin by using the longer fabric head cover 16 90 23 and the extended fabric neck protection 16 90 42



When you need the security of fabric, attach the smaller head protection 16 90 22 and the smaller neck protector 16 90 41



To increase coverage from (graph) add the fabric shield 16 90 36 and the extended fabric neck head protection 16 90 23. Also available as a kit 16 90 35

Increase your comfort





In 1910, 2 young entrepreneurs, S. Duncan Black & Alonzo G. Decker opened shops in Baltimore, Maryland. They named the factory BLACK+DECKER.

Today, BLACK+DECKER is a global brand of innovative technology-based power tools, accessories, hardware, home improvement products, and fastening products.

Our products and services are marketed in more than 100 countries, and we have factories in 11 countries. We have built a reputation for more than 170 years for prioritizing design and quality and always focusing on consumer needs.





Cordless Tools

Hammer Drill
Drill Driver
Screwdriver

Lawn + Garden

Chainsaw
Lawnmower
String Trimmer
Pressure Washer

Home Cleaning

Steam Mop
Auto Vac
Hand Vac
Dustbuster

Battery & Charger Corded Tools

Hammer Drill
Rotary Drill
Circular Saw
Router
Jigsaw
Sander
Vacuum Cleaner

Snack Light





is a medium-sized sales, production and service company in the Ruhr region, the industrial heart of Germany.

The headquarters, warehouse, production and service centre are located in Bottrop. From there, numerous markets in Germany and abroad are served.

Since 1995, the export business has also been expanded, and customers are now supplied in over 30 countries around the world.

Since 2012, we have been the exclusive and authorized direct importer of Exact pipe saws. Thus we have the optimal opportunity to offer you the complete service for your pipe saw.

exact PIPE SAWS
Tools – Accessories – Service

CUTTING STAINLESS STEEL



PipeCut 220 INOX

Specialized pipe saw for stainless steel
- 220 mm cutting depth
- 220 mm cutting width
- 220 mm cutting length
- 220 mm cutting width
- 220 mm cutting length

Weight: 11.5 kg
Length: 1150 mm
Max. pipe Ø: 110 mm

Technical data
Power (kW): 1.5
Max. cutting depth: 220 mm
Max. cutting width: 220 mm
Max. cutting length: 220 mm



PipeCut 380 INOX

Specialized pipe saw for stainless steel
- 380 mm cutting depth
- 380 mm cutting width
- 380 mm cutting length
- 380 mm cutting width
- 380 mm cutting length

Weight: 15.5 kg
Length: 1150 mm
Max. pipe Ø: 110 mm

Technical data
Power (kW): 1.5
Max. cutting depth: 380 mm
Max. cutting width: 380 mm
Max. cutting length: 380 mm



STEEL / STAINLESS STEEL BEVELING



PipeBevel 220 E

Specialized pipe beveler for stainless steel
- 220 mm cutting depth
- 220 mm cutting width
- 220 mm cutting length

Weight: 11.5 kg
Length: 1150 mm
Max. pipe Ø: 110 mm

Technical data
Power (kW): 1.5
Max. cutting depth: 220 mm
Max. cutting width: 220 mm
Max. cutting length: 220 mm



PipeBevel 380 E

Specialized pipe beveler for stainless steel
- 380 mm cutting depth
- 380 mm cutting width
- 380 mm cutting length

Weight: 15.5 kg
Length: 1150 mm
Max. pipe Ø: 110 mm

Technical data
Power (kW): 1.5
Max. cutting depth: 380 mm
Max. cutting width: 380 mm
Max. cutting length: 380 mm



SEPARATE VENTILATION PIPES



PipeCut V1000

Specialized pipe saw for ventilation pipes
- 1000 mm cutting depth
- 1000 mm cutting width
- 1000 mm cutting length

Weight: 11.5 kg
Length: 1150 mm
Max. pipe Ø: 110 mm

Technical data
Power (kW): 1.5
Max. cutting depth: 1000 mm
Max. cutting width: 1000 mm
Max. cutting length: 1000 mm



MAUCOTOOLS

MAUCOTOOLS brings over 30 years of expertise, starting with multifunctional portable line boring machines for on-site machining and bore welding.

Our patented C40 DUAL SYSTEM introduced a new generation of modular, independent, and space-saving solutions. With renewed management, vision, and product lines, we now serve diverse industries including construction, mining, oil & gas, shipbuilding, and power generation.

Quality is at the core of everything we do. All our on-site solutions comply with ISO 9001:2015, ISO 14000, and CE standards. Backed by a global team and network, MAUCOTOOLS is always ready to support customers worldwide with professionalism and reliability.







Translas is a Dutch manufacturer of welding torches since 1960, founded "by welders, for welders" with a strong passion for innovation and new technologies. We design products with distinctive style, high quality, and great functionality. Welder safety is our top priority, aiming to reduce global exposure to hazardous fumes and create healthier, safer work environments. Our pioneering solutions include fume extractor guns with built-in modules to capture fumes at the source, as well as portable extraction units.

In recent years, Translas has experienced rapid growth. With the launch of Canadian distribution channels, we are focusing on strategic partnerships with companies using smart technologies to help shape the global manufacturing industry towards a safer and more productive future.



TRANSLAS
DUTCH WELDING TECHNOLOGY



On-Gun Welding Fume Extraction

Translas 250 On-Gun Fume Extraction System ONE PERSON/ONE GUN

Part Number
TR250S



NEW SELECT FOR WELDING BELOW 250 AMPS  AIR COOLED



- ✓ 250 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Ergonomic and super lightweight welding gun
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



Translas 400 On-Gun Fume Extraction System ONE PERSON/ONE GUN

Part Number
TR400S



NEW SELECT FOR WELDING 250 - 400 AMPS  AIR COOLED



- ✓ 400 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Ergonomic and super lightweight welding gun
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



Translas 500 On-Gun Fume Extraction System ONE PERSON/ONE GUN

Part Number
TR500S



NEW SELECT FOR WELDING OVER 400 AMPS  WATER COOLED



- ✓ 500 amp water cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Ergonomic and super lightweight welding gun
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



Translas 250 On-Gun Fume Extraction System TWO PERSON/TWO GUN

Part Number
TR250D



NEW SELECT FOR WELDING BELOW 250 AMPS  AIR COOLED



- ✓ Two person 250 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Two ergonomic and super lightweight welding guns
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



Translas 400 On-Gun Fume Extraction System TWO PERSON/TWO GUN

Part Number
TR400D



NEW SELECT FOR WELDING 250 - 400 AMPS  AIR COOLED



- ✓ Two person 400 amp air cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Two ergonomic and super lightweight welding guns
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



Translas 500 On-Gun Fume Extraction System TWO PERSON/TWO GUN

Part Number
TR500D



NEW SELECT FOR WELDING OVER 400 AMPS  WATER COOLED



- ✓ Two person 500 amp water cooled on-gun fume extraction system
- ✓ Up to 98% capture rate leaves shielding gas unaffected
- ✓ Two ergonomic and super lightweight welding guns
- ✓ Extraction system self cleans with auto start and stop
- ✓ 100% duty cycle with Euro connection
- ✓ Kit includes everything you need to get started with on-gun extraction



TRANSLAS

DUTCH WELDING TECHNOLOGY



On-Gun Welding Fume Extraction



WIDIA Product Group has been at the forefront of designing metal cutting tools for over 90 years. As a leader in manufacturing tooling solutions, WIDIA delivers a complete portfolio of precision-engineered products and custom services.

We are recognized globally for our engineering precision, technological advances and dedication to customer success across all industries.

WIDIA TM

VSM890TM-12

pages 4-12



VSM

pages 34-57



New helical cutters



VXFTM

pages 14-31



New cutter sizes -09 and -16



WGC

pages 142-163



New PT precision moulded and ground inserts





Get in Touch **with Our Team**



| sales@grandmuliajaya.com



| +62 81255344294



| www.grandmuliajaya.co.id



| Jl. Mulawarman No. 8 RT. 15 Manggar Baru,
Balikpapan Timur, Kota Balikpapan
Kalimantan Timur 76116



| [grandmuliajaya](https://www.instagram.com/grandmuliajaya)

Home Industry • Parts Mining Need • Fabrication Tools • Repairing Tools • General Supplier



Thank you **for being** part of our story.
With trust and **collaboration**, we believe the **future** will be brighter,
stronger, and full of opportunities to grow **together**.

grandmuliajaya : @ | f | @ | © : +62 81255344294